


COMPOSITE TOOLS & SUPPLIES

BRUSHES DISPOSABLE

Natural, undyed bristle brushes with smooth unpainted wood handles. Unaffected by paints, dopes, resins, thinners or solvents.



DESCRIPTION	DESCRIPTION	PART NUMBER	PRICE
1 INCH	NATURAL UNDYED	150-WPS-1	0.46
2 INCH	NATURAL UNDYED	150-WPS-2	0.76

LAMINATING ROLLERS

1-pc roller & handle assembly is the design standard in fiberglass laminating applications. Strong, long-life Delrin rollers are made with deep grooves & thin fins for superior air release. Patented ergonomic handle permits longer work periods. Choice of std straight rollers or radius roller for rolling concave surfaces. Cleans easily with acetone.



DESCRIPTION	PART NUMBER	PRICE
2"X3" STRAIGHT	PR1173	8.99
2"X6" STRAIGHT	PR1176	15.25
1" X 3" RADIUS	PR5315	7.79

EPOXY LAYUP ROLLERS

3" wide roller with stiple surface. Excellent for working out air bubbles in fiberglass layups.



DESCRIPTION	PART NUMBER	PRICE
3 INCH WIDE HANDLE	58253	2.75
COVER FITS 3" HANDLE	58253A	1.64

MIXING CUPS PLASTIC MEASURING


Made of formed plastic for medical use, these epoxy cups are graduated for easy measurement. Available in 1 oz and 4 oz sizes. Sold 25 per box only.



DESCRIPTION	PART NUMBER	PRICE
1 OZ	RDMX-CUP-1	4.50
4.5 OZ	RDMX-CUP-4	6.60

MIXING STICKS - PLASTIC

Black plastic mixing sticks used for the West System. 5-3/8" long by 3/4" wide.



DESCRIPTION	PART NUMBER	PRICE
RE-USABLE STIR STICK	804-SS	1.00

BRUSHES GREY BRISTLE

Pure grey bristle brush with plastic handle. Bristle hairs DO NOT fall out.



DESCRIPTION	DESCRIPTION	PART NUMBER	PRICE
1 INCH	GREY BRISTLE	10157	1.45
2 INCH	GREY BRISTLE	10159	2.25

LAMINATING ROLLERS - DETAIL

Small aluminum laminating rollers offer superior performance for mold-making, detail work, and air release. Their small diameter, combined with deep grooves & thin fins, will release small air bubbles faster & more efficiently than larger rollers. Aluminum frame & roller with ergonomic rubber modified polypropylene handle. Cleans up easily with acetone.



DESCRIPTION	PART NUMBER	PRICE
3/8" X 3" DETAIL	AR1213	6.99
1/2" X 3" DETAIL	AR1223	6.99

POLYETHYLENE SYRINGE

These ungraduated tapered tip syringes are useful in applying epoxy in hard to reach areas. Made of polyethylene. Size 10 cc.



DESCRIPTION	PART NUMBER	PRICE
10 CC	SYR10	1.82

MIXING CUPS PAPER TYPE

Used for mixing small batches of epoxy. Available in 3 oz (unwaxed) and 8 or 16 oz sizes. Larger sizes are lined with leak-resistant polyethylene. Sold in packages of 100.



DESCRIPTION	DESCRIPTION	PART NUMBER	PRICE
3 OZ	UNWAXED PAPER	444	4.85
8 OZ	LINED POLYETHYLENE	8SN1	22.95
16 OZ	LINED POLYETHYLENE	16SN1	34.90

MIXING STICKS

These 5/8" x 5-1/2" tongue depressors work great for mixing small batches of epoxy. Quantity is 500 per box.




DESCRIPTION	PART NUMBER	PRICE
5/8 X 5-1/2"	805	9.50

COMPOSITE TOOLS & SUPPLIES

STICKY STUFF DISPENSER PUMP

It is specifically designed to eliminate the sticky, messy, costly hand proportioning of epoxy resins. This top quality system assures accurate measurement of resin and hardener every time you use it. Durable and long lasting construction. Reservoirs are see through polyethylene with snap on covers. Complete with carrying handle. The SS-180J mix ratios 7:100 to 29:100, the SSD-ADJ mix ratios 17:100 to 65:100. Replacement parts available.



DESCRIPTION	PART NUMBER	PRICE
7:100-29:100 PUMP	SS-180J	263.43
17:100-65:100 PUMP	SSD-ADJ	263.43
QUART WITH LID	SSD-SM	8.75
1/2 GALLON WITH LID	SSD-MED	8.75
GALLON WITH LID	SSD-LG	9.75
INTAKE VALVE	SSD-IV	15.00
1/2" HOLE SIZE	SSD-IVGA	1.65
5/8" HOLE SIZE	SSD-IVGB	1.65
INTAKE VALVE WASHER	SSD-IVW	1.85
1/2" TEFLON SEALS	SSD1/2-TS	2.99
3/4" TEFLON SEALS	SSD3/4-TS	4.50
COMPRESSION TUBES	SSD-TB	13.00

INVISIBLE GLOVES PROTECTANT

Paste like substance provides protection against caustic and carcinogenic chemical products including hydraulic fluid, paints, inks, MEK, fuels. Apply 1 teaspoon to cover hands completely particularly cuticles and under fingernails waiting 2-3 minutes to dry. Washes off with soap and water. Pint container yields approximately 100 pair of gloves.



DESCRIPTION	PART NUMBER	PRICE
PINT JAR	1211	8.56

REFILLABLE CAULKING TUBES

Refillable epoxy tubes are useful for injecting large amounts of epoxy. Tubes may be refilled again and again after popping out cured epoxy. For use with standard caulking guns. Holds approximately 10 fl oz. Sold in pairs.



DESCRIPTION	PART NUMBER	PRICE
10 OZ SOLD AS PAIR	810-2	3.50

RUBBER SQUEEGEE

Developed specifically for working with epoxies. This hard rubber squeegee is superior to plastic types. It is easily cleaned and reusable many times. Available in 6" size only.



DESCRIPTION	PART NUMBER	PRICE
6 INCH	14-4546	4.82

SPREADER

4" x 4" plastic spreader is notched on 3 sides in 1/8", 3/16", 1/4" increments. Excellent for applying modified epoxy at a consistent rate to ensure an even working surface.



DESCRIPTION	PART NUMBER	PRICE
4" X 4" PLASTIC	809	0.85

FR8 PROTECTANT

Invisible film protects skin against epoxies, dirt, gasoline, glues and much more. Prevents fingerprints on surfaces which are to be varnished or galvanized. Washes off with water. 32 oz. container lasts 6 months using 3 times daily.



DESCRIPTION	PART NUMBER	PRICE
PASTE 32 OZ	FR8-32	14.95
PASTE 4 OZ	FR8-4	4.95

PLY9 PROTECTANT

Put on hands before using epoxy and wash off after finishing work. 12 oz. squeeze tube.



DESCRIPTION	PART NUMBER	PRICE
12 OZ TUBE	PLY-9	5.99

COMPOSITE TOOLS & SUPPLIES

CONSEW EC110 ELECTRIC

Cuts fabric, patterns, leather, fiberglass, kevlar and other aramid fibers. Can be used with or without a power cord. Industrial quality scissors have blades made of carbide steel that never need to be sharpened. Light weight and maneuverable the ergonomic design requires less effort to use than cutting manually with superior results. Kit contains scissors, one all purpose blade for straight cutting, one shoe blade for patterns and fabric, an adapter, and rechargeable battery. Replaces Dritz Scissors.



DESCRIPTION	PART NUMBER	PRICE
ELECTRIC SCISSORS	D28500	99.99

SHEARS GRAPHITE/GLASS

Recommended for cutting Spectra and Kevlar, these shears have one coated cutting blade and one blade tipped with solid tungsten carbide. Carbide reduces hand force, out performs steel blades up to 25 times and leaves no fuzzy cut edges. Can be re-sharpened by diamond wheels; however, edge damage can occur if shears are used on materials other than recommended. 4" cutting edge, 10" overall length.



DESCRIPTION	PART NUMBER	PRICE
SPECTRA/KEVLAR	HD10C-4M	193.96

SHEARS WISS FABRIC

Heavy duty scissors ideal for cutting fiberglass cloth and other fabrics. Hot dropforged steel. Overall length - 10-1/4", cutting edge - 4-1/4".



DESCRIPTION	PART NUMBER	PRICE
LEFT	20LH	47.90
RIGHT	20W	39.75

SHEARS ROTARY PINKING

Ergonomic design provides comfortable grip. Dual action safety lock either locks the blade open for comfort or closed for safety. Heavy duty model is ideal for cutting fiberglass materials. Packed with a straight blade. Order stainless steel pinking blade or wave blade separately.



DESCRIPTION	PART NUMBER	PRICE
ROTARY PINKER	FP6800B	38.49
SS PINKING BLADE	PIB45-1	8.90

CUTTER MAT

18" x 24" green cutter mat to be placed under material to save rotary blades. 1.5mm thickness, double sided.



DESCRIPTION	PART NUMBER	PRICE
18" X 24"	RM-24	19.50

SHEARS KEVLAR


Special scissors developed to facilitate cutting of Kevlar fabric. 10" hand cutting shear with a 4" blade. Tools for cutting of Kevlar may appear to be prematurely dull due to a buildup of the binder material on the cutting edge. This buildup needs only to be one or two thousands of an inch to impair satisfactory cutting. When this occurs the cutting tool should be cleaned with a solvent that will remove the binder deposit.



DESCRIPTION	PART NUMBER	PRICE
KEVLAR SCISSORS	WR-10E-4	75.00

SHEARS KEVLAR/ CARBON FIBER

Made of carbon steel with a modified angle, designed for cutting kevlar, carbon, fiberglass fabrics and prepreg. Overall length: 10" with a 4.5" cutting edge. May be resharpened by returning to mfg for a \$15.00 fee.



DESCRIPTION	PART NUMBER	PRICE
KEVLAR/CARBON FIBER	D244-M	68.99

SHEARS PINKING

Made in Finland, this surgical stainless steel pinking shear will cut all fabrics for years without sharpening. Right hand 9" long.



DESCRIPTION	PART NUMBER	PRICE
RIGHT 9"	FPS-10	20.90

SHEARS ROTARY STRAIGHT EDGE

Ergonomic design provides comfortable grip. Dual action safety lock either locks the blade open for comfort or closed for safety. Heavy duty model is ideal for cutting fiberglass materials. Packed with a straight blade. Order stainless steel pinking blade or wave blade separately.



DESCRIPTION	PART NUMBER	PRICE
ROTARY SHEARS	RTY-2DX	17.48
SS WAVE BLADE	WAB45-1	7.75
STRAIGHT BLADE	RB-1	5.99

COMPOSITE TOOLS & SUPPLIES

VOLTAGE REGULATOR

This manually operated variable output regulator is perfect for controlling hot wire temperatures. Output varies from 1 to 130 volts. Input is 117 volts, 5 amps. Current rating applies over whole range of output voltage.



INCONEL SAFETY WIRE

Uncoated inconel wire for general lock wire use above 700 degrees F. Good choice for hot wiring. Meets QQ-W-390 annealed. 2 wire sizes available. Sold by the foot.



DESCRIPTION	PART NUMBER	PRICE
117 VOLTS 5 AMPS	45-740	98.75

DESCRIPTION	PART NUMBER	PRICE
.032	NASM20995N32	0.37
.040	NASM20995N40	0.36