








FITTINGS

1/8" Pipe Max I.D. 13/64 (.203)	1/4" Pipe Max I.D. 19/64 (.297)	3/8" Pipe Max. I.D. 27/64 (.422)	1/2" Pipe Max. I.D. 35/64 (.547)	3/4" Pipe Max. I.D. 47/64 (.734)	1" Pipe Max. I.D. 61/64 (.953)
					

ACTUAL OUTSIDE DIAMETERS OF TAPER PIPE THREADS AT SMALL END

AN804 - TEE

Tube with pipe thread on run. Steel or Aluminum (D).



AN814 PLUG & BLEEDER

Screw thread, steel or aluminum (D). Use with "O" ring to seal (fuel resistant)




TUBE O.D.	THREAD SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
3/16"	3/8-24	AN804-3D	12.50	AN804-3	
1/4"	7/16-20	AN804-4D	8.80	AN804-4	9.90
5/16"	1/2-20	AN804-5D	6.12	AN804-5	
3/8"	9/16-18	AN804-6D	8.90	AN804-6	19.86

THREAD SIZE	O-RING PART NO.	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
5/16-24	MS29513-012	AN814-2D	3.98	AN814-2	
3/8-24	MS29513-110	AN814-3D	3.99	AN814-3	
7/16-20	MS29513-111	AN814-4D	2.54	AN814-4	5.89
1/2-20	MS29513-111	AN814-5D	5.25	AN814-5	
9/16-18	MS29513-112	AN814-6D	2.60	AN814-6	
3/4-16	MS29513-115	AN814-8D	8.25		


AN806 PLUG

Flared tube, steel or aluminum (D).



AN815 UNION

Flared tube steel or aluminum (D). Use with AN818 nuts - aluminum with aluminum (D) or steel with steel.




TUBE O.D.	THREAD SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	5/16-24	AN806-2D	1.50	AN806-2	4.52
3/16"	3/8-24	AN806-3D	1.35	AN806-3	
1/4"	7/16-20	AN806-4D	1.48	AN806-4	1.59
5/16"	1/2-20	AN806-5D	1.44	AN806-5	
3/8"	9/16-18	AN806-6D	1.44	AN806-6	
1/2"	3/4-16	AN806-8D	2.97		
5/8"	7/8-14	AN806-10D	3.70		

TUBE O.D.	USES NUT AN818-	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	-2D or -2	AN815-2D	5.50	AN815-2	7.56
3/16"	-3D or -3	AN815-3D	2.25	AN815-3	4.60
1/4"	-4D or -4	AN815-4D	2.35	AN815-4	4.30
5/16"	-5D or -5	AN815-5D	2.41	AN815-5	—
3/8"	-6D or -6	AN815-6D	2.65	AN815-6	4.50
1/2"	-8D or -8	AN815-8D	3.75	AN815-8	7.63
5/8"	-10D or 10	AN815-10D	4.25	AN815-10	8.80
3/4"	-12D	AN815-12D	7.59		

AN807 ADAPTER

Hose to universal, steel or aluminum (D).



AN816 NIPPLE

Flared tube and pipe thread, steel or aluminum (D).




TUBE O.D.	HOSE I.D.	THREAD SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EA
1/4"	1/4"	7/16-20	AN807-4D	9.01	AN807-4	20.09
3/8"	3/8"	9/16-18	AN807-6D	10.33	AN807-6	
1/2"	1/2"	3/4-16	AN807-8D	15.30	AN807-8	

TUBE O.D.	PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	1/8"	AN816-2D	2.50	AN816-2	5.25
3/16"	1/8"	AN816-3D	1.65	AN816-3	2.85
1/4"	1/8"	AN816-4D	1.80	AN816-4	2.65
1/4"	1/4"	AN816-4-4D	2.25	AN816-4-4	3.65
5/16"	1/8"	AN816-5D	2.50	AN816-5	5.55
5/16"	1/4"	AN816-5-4D	4.50		
3/8"	1/4"	AN816-6D	2.08	AN816-6	2.99
3/8"	1/8"	AN816-6-2D	2.40	AN816-6-2	4.25
3/8"	3/8"	AN816-6-6D	2.70	AN816-6-6	5.57
1/2"	1/4"	AN816-7D	3.18	AN816-7	11.93
1/2"	3/8"	AN816-8D	2.97	AN816-8	8.75
5/8"	1/2"	AN816-10D	7.50		

FITTINGS

AN818 NUT


Coupling, steel or aluminum (D). Can be used with MS20819- sleeve, using same dash number.



TUBE O.D.	THREAD SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	5/16-24	AN818-2D	0.95	AN818-2	1.22
3/16"	3/8-24	AN818-3D	0.95	AN818-3	1.20
1/4"	7/16-20	AN818-4D	0.72	AN818-4	1.36
5/16"	1/2-20	AN818-5D	0.89	AN818-5	3.25
3/8"	9/16-18	AN818-6D	0.99	AN818-6	2.50
1/2"	3/4-16	AN818-8D	1.48	AN818-8	4.25
5/8"	7/8-14	AN818-10D	2.00		
3/4"	1-1/16-12	AN818-12D	2.44		

MS20819 - SLEEVE


Coupling, steel or aluminum. Sleeve only does NOT include nut or nipple. Used with AN818 nut, aluminum with aluminum, steel with steel.



TUBE O.D.	AN818 NUT	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	-2D, -2	MS20819-2D	0.69	MS20819-2	0.70
3/16"	-3D, -3	MS20819-3D	0.74	MS20819-3	0.74
1/4"	-4D, -4	MS20819-4D	0.63	MS20819-4	1.20
5/16"	-5D, -5	MS20819-5D	0.65	MS20819-5	
3/8"	-6D, -6	MS20819-6D	0.89	MS20819-6	1.10
1/2"	-8D, -8	MS20819-8D	1.25	MS20819-8	0.95
5/8"	-10D	MS20819-10D	1.55		
3/4"	-12D	MS20819-12D	1.99		

AN821 - ELBOW

Flared tube, 90° steel or aluminum (D). Used with AN818 nut, aluminum with aluminum and steel with steel.



TUBE O.D.	AN818 NUT	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	-2D,	AN821-2D	15.00	--	--
3/16"	-3D, -3	AN821-3D	5.99	AN821-3	8.85
1/4"	-4D, -4	AN821-4D	4.75	AN821-4	7.36
5/16"	-5D, -5	AN821-5D	7.16	AN821-5	
3/8"	-6D, -6	AN821-6D	8.50	AN821-6	8.50
1/2"	-8D, -8	AN821-8D	7.30	AN821-8	12.99

MS20822 - ELBOW

Flared tube and pipe thread, 90° steel or aluminum (D).



TUBE O.D.	PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	1/8	MS20822-2D	10.75		
3/16"	1/8	MS20822-3D	5.50	MS20822-3	9.95
1/4"	1/8	MS20822-4D	6.80	MS20822-4	7.85
1/4"	1/4	MS20822-4-4D	6.50	MS20822-4-4	9.45
5/16"	1/8	MS20822-5D	9.48	MS20822-5	8.11
3/8"	1/4	MS20822-6D	6.66	MS20822-6	9.40
3/8"	1/8	MS20822-6-2D	6.95	MS20822-6-2	8.75
3/8"	3/8	MS20822-6-6D	9.69	MS20822-6-6	12.93
1/2"	3/8	MS20822-8D	8.75	MS20822-8	12.60
5/8"	1/2	MS20822-10D	14.25		

MS20823 - ELBOW

Flared tube and Pipe Thread, 45° steel or aluminum (D).



TUBE O.D.	PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	1/8	MS20823-2D	16.50		
3/16"	1/8	MS20823-3D	7.80	MS20823-3	14.69
1/4"	1/8	MS20823-4D	7.50	MS20823-4	10.00
5/16"	1/8	MS20823-5D	9.70	MS20823-5	
3/8"	1/4	MS20823-6D	8.25	MS20823-6	13.25
1/2"	3/8	MS20823-8D	9.25	MS20823-8	16.50
5/8"	1/2	MS20823-10D	16.05		

AN824 - TEE

Flared tube steel or aluminum (D). Used with AN818 nut, aluminum with aluminum and steel with steel.



TUBE O.D.	AN818 NUT	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	-2D, -2	AN824-2D	14.00	AN824-2	
3/16"	-3D, -3	AN824-3D	6.50	AN824-3	10.73
1/4"	-4D, -4	AN824-4D	5.57	AN824-4	9.85
5/16"	-5D, -5	AN824-5D	6.75	AN824-5	-
3/8"	-6D, -6	AN824-6D	6.50	AN824-6	10.45
1/2"	-8D, -8	AN824-8D	8.90	AN824-8	


AIRCRAFT FITTINGS:

37° flare
 "D" = blue anodized aluminum
 2024-T6 or 2024T851

FITTINGS

MS20825 - TEE


Flared tube with pipe thread on side, steel or aluminum (D).



TUBE O.D.	PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	1/8"	MS20825-2D	15.60		
3/16"	1/8"	MS20825-3D	8.25		
1/4"	1/8"	MS20825-4D	7.85	MS20825-4	11.75
5/16"	1/8"	MS20825-5D	7.99	MS20825-5	
3/8"	1/4"	MS20825-6D	9.75	MS20825-6	11.75
1/2"	3/8"	MS20825-8D	9.75	MS20825-8	10.97

MS20826 - TEE


Tube with pipe thread on run steel or aluminum (D).



TUBE O.D.	PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	1/8"	MS20826-2D	16.70		
3/16"	1/8"	MS20826-3D	8.25		
1/4"	1/8"	MS20826-4D	6.52	MS20826-4	10.80
5/16"	1/8"	MS20826-5D	7.60	MS20826-5	
3/8"	1/4"	MS20826-6D	8.25	MS20826-6	13.25
1/2"	3/8"	MS20826-8D	14.25	MS20826-8	14.52
5/8"	1/2"	MS20826-10D	13.80		

AN827 - CROSS


Flared tubes steel or aluminum (D)



TUBE O.D.	PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
3/16"	3/8-24	AN827-3D	17.00		
1/4"	7/16-20	AN827-4D	11.33		
5/16"	1/2-20	AN827-5D	18.29		
3/8"	9/16-18	AN827-6D	13.19		

AN832 - UNION

Flared tube, bulkhead and universal, steel or aluminum (D).



TUBE O.D.	PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	5/16-24	AN832-2D	6.45	AN832-2	15.90
3/16"	3/8-24	AN832-3D	4.45	AN832-3	7.25
1/4"	7/16-20	AN832-4D	3.85	AN832-4	7.80
5/16"	1/2-20	AN832-5D	4.14	AN832-5	7.94
3/8"	9/16-18	AN832-6D	4.25	AN832-6	8.55
1/2"	3/4-16	AN832-8D	5.86		
5/8"	7/8-14	AN832-10D	7.35		

AN833 - ELBOW


Flared tube, bulkhead and universal, 90° steel or aluminum.



TUBE O.D.	THREAD SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	5/16-24	AN833-2D	11.12	AN833-2	
3/16"	3/8-24	AN833-3D	6.28	AN833-3	11.55
1/4"	7/16-20	AN833-4D	7.52	AN833-4	6.83
5/16"	1/2-20	AN833-5D	10.60	AN833-5	
3/8"	9/16-18	AN833-6D	8.25	AN833-6	8.80
1/2"	3/4-16	AN833-8D	9.00	AN833-8	

AN834 - TEE


Flared, tube, bulkhead and universal steel or aluminum (D).



TUBE O.D.	THREAD SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	5/16-24	AN834-2D	-	AN834-2	8.36
3/16"	3/8-24	AN834-3D	10.34	AN834-3	
1/4"	7/16-20	AN834-4D	8.63	AN834-4	16.00
5/16"	1/2-20	AN834-5D	12.32	AN834-5	
3/8"	9/16-18	AN834-6D	12.60	AN834-6	
1/2"	3/4-16	AN834-8D	15.85	AN834-8	

AN837 - ELBOW


Flared tube, bulkhead and universal, 45° steel or aluminum.



TUBE O.D.	THREAD SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	5/16-24	AN837-2D	9.81		
3/16"	3/8-24	AN837-3D	8.99		
1/4"	7/16-20	AN837-4D	6.90	AN837-4	12.71
5/16"	1/2-20	AN837-5D	6.83	AN837-5	-
3/8"	9/16-18	AN837-6D	7.99	AN837-6	10.93
1/2"	3/4-16	AN837-8D	13.91		

AN838 - 90°

Tube to pipe- hose to universal bulkhead fitting.



HOSE ID	TUBE O.D.	THREAD SIZE	ALUMINUM PART NO.	PRICE EACH
1/4"	1/4"	7/16	AN838-4D	11.85

FITTINGS

AN840 - HOSE NIPPLE


Pipe thread aluminum or copper alloy.



HOSE I.D.	PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	COPPER PART NO.	PRICE EACH
1/4"	1/8"	AN840-4D	2.70	AN840-4	4.74
3/8"	1/4"	AN840-6D	2.99	AN840-6	4.90
1/2"	3/8"	AN840-8D	5.90		
5/8"	1/2"	AN840-10D	8.42		
3/4"	3/4"	AN840-12D	6.32		

AN842 - HOSE ELBOW

Pipe thread 90° steel or aluminum.



HOSE I.D.	PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	COPPER PART NO.	PRICE EACH
1/4"	1/8"	AN842-4D	15.37	AN842-4	
3/8"	1/4"	AN842-6D	10.18	AN842-6	19.88
1/2"	3/8"	AN842-8D	10.17		
5/8"	1/2"	AN842-10D	18.29		
3/4"	3/4"	AN842-12D	27.00		
1"	3/4"	AN842-16D	37.10		

AN844 - HOSE ELBOW

Pipe thread 45° steel or copper alloy.



HOSE I.D.	PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	COPPER PART NO.	PRICE EACH
1/4"	1/8"	AN844-4D	13.50	AN844-4	12.60
3/8"	1/4"	AN844-6D	12.95		
1/2"	3/8"	AN844-8D	15.71		

AN894 - FLARED TUBE REDUCER & EXPANDER



TUBE SZ.INT.	TUBE SZ.EXT.	ALUMINUM PART NO.	PRICE EACH
3/8"	1/4"	AN894-D6-4	4.85
1/4"	3/16"	AN894-D4-3	3.87
1/4"	1/8"	AN894-D4-2	7.95
1/2"	3/8"	AN894-D8-6	6.96

AN910 - COUPLING

Pipe thread aluminum or brass alloy.



PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	BRASS PART NO.	PRICE EACH
1/8"	AN910-1D	2.55	AN910-1	3.71
1/4"	AN910-2D	4.00	AN910-2	4.25
3/8"	AN910-3D	4.99	AN910-3	4.76
1/2"	AN910-4D	5.57		
3/4"	AN910-6D	12.50		

AN911 - NIPPLE


Pipe thread aluminum or brass alloy.



PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	COPPER PART NO.	PRICE EACH
1/8"	AN911-1D	2.60	AN911-1	3.50
1/4"	AN911-2D	4.99	AN911-2	7.50
3/8"	AN911-3D	3.25	AN911-3	6.25
1/2"	AN911-4D	4.75	AN911-4	6.75
3/4"	AN911-6D	11.85		

AN912 - BUSHING

Pipe thread reducer aluminum or copper alloy.



PIPE O.D.	PIPE I.D.	ALUMINUM PART NO.	PRICE EA.	COPPER PART NO.	PRICE EACH
1/4"	1/8"	AN912-1D	2.50	AN912-1	2.99
3/8"	1/4"	AN912-2D	2.50	AN912-2	4.80
3/8"	1/8"	AN912-3D	2.60	AN912-3	4.25
1/2"	3/8"	AN912-4D	3.75	AN912-4	6.50
1/2"	1/4"	AN912-5D	5.75		
1/2"	1/8"	AN912-6D	4.85		
3/4"	1/2"	AN912-7D	7.85		
3/4"	3/8"	AN912-8D	7.99		
3/4"	1/4"	AN912-9D	7.25		

MS20913 - PLUG

Square head, pipe thread aluminum or copper alloy.



PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	COPPER PART NO.	PRICE EACH
1/8"	MS20913-1D	4.00	MS20913-1	2.87
1/4"	MS20913-2D	5.90	MS20913-2	4.46
3/8"	MS20913-3D	4.61	MS20913-3	5.24
1/2"	MS20913-4D	7.50	MS20913-4	5.99
3/4"	MS20913-6D	10.89	MS20913-6	9.50

FITTINGS

AN914 - ELBOW

Internal and external pipe thread, 90° aluminum or copper alloy. Both ends are same size.



PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	COPPER PART NO.	PRICE EACH
1/8"	AN914-1D	7.85	AN914-1	12.50
1/4"	AN914-2D	9.33	AN914-2	13.60
3/8"	AN914-3D	11.50		
1/2"	AN914-4D	16.01		
3/4"	AN914-6D	15.50		

AN915 - ELBOW

Internal and external pipe thread 45°, aluminum or copper alloy. Both ends are same size.



*Certs not available

PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	COPPER PART NO.	PRICE EACH
1/8"	AN915-1D	9.75	AN915-1	13.90
1/4"	AN915-2D	12.00		
3/8"	AN915-3D	12.71		
1/2"	AN915-4D*	13.52		

AN916 - ELBOW

Internal thread, 90° aluminum or copper alloy.



PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	COPPER PART NO.	PRICE EACH
1/8"	AN916-1D	7.85	AN916-1	8.85
1/4"	AN916-2D	12.25		
3/8"	AN916-3D	14.99		
1/2"	AN916-4D	14.85	AN916-4	14.75

AN917 - TEE


Internal pipe thread aluminum or copper alloy.



PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	COPPER PART NO.	PRICE EACH
1/8"	AN917-1D	10.50	AN917-1	12.50
1/4"	AN917-2D	8.50	AN917-2	11.50
3/8"	AN917-3D	15.99		
1/2"	AN917-4D	20.34		

AN918 - CROSS


Internal pipe thread aluminum or copper alloy.



PIPE SIZE	ALUMINUM PART NO.	PRICE EA.	COPPER PART NO.	PRICE EACH
1/8"	AN918-1D	12.92		
1/4"	AN918-2D	12.50		

AN919 - REDUCER

External thread flared. Use with AN818 nut, dash numbers designated.



LARGE END TUBE O.D.	AN818 NUT	SMALL END TUBE OD	AN818 NUT	ALUMINUM PART NO.	PRICE EA.
1/4"	-4D	1/8"	-2D	AN919-1D	2.95
1/4"	-4D	3/16"	-3D	AN919-2D	2.75
5/16"	-5D	1/4"	-4D	AN919-3D	3.35
3/8"	-6D	1/8"	-2D	AN919-4D	3.25
3/8"	-6D	3/16"	-3D	AN919-5D	4.50
3/8"	-6D	1/4"	-4D	AN919-6D	3.50
3/8"	-6D	5/16"	-5D	AN919-7D	3.98
1/2"	-8D	1/8"	-2D	AN919-8D	9.50
1/2"	-8D	1/4"	-4D	AN919-10D	4.50
1/2"	-8D	5/16"	-5D	AN919-11D	10.34
1/2"	-8D	3/8"	-6D	AN919-12D	4.50
5/8"	-10D	3/8"	-6D	AN919-14D	6.50
3/16"	-3D	1/8"		AN919-0D	5.25

AN919 - STEEL REDUCER

External thread flared. - STEEL Use with AN818 steel nuts, dash numbers indicated.



LARGE END TUBE O.D.	AN818 NUT	SMALL END TUBE OD	AN818 NUT	STEEL PART NO.	PRICE EA.
3/8"	-6	1/8"	-2	AN919-4	10.30
1/2"	-8	3/8"	-6	AN919-12	6.88

AN924 - NUT

Nut - used on fittings, order with same dash number as fitting for proper size. Flared tube, bulkhead and universal fitting aluminum or steel.




TUBE O.D.	THREAD SIZE	ALUMINUM PART NO.	PRICE EA.	STEEL PART NO.	PRICE EACH
1/8"	5/16-24	AN924-2D	0.85	AN924-2	1.45
3/16"	3/8-24	AN924-3D	0.99	AN924-3	1.40
1/4"	7/16-20	AN924-4D	1.25	AN924-4	1.75
5/16"	1/2-20	AN924-5D	0.99	AN924-5	2.50
3/8"	9/16-18	AN924-6D	1.25	AN924-6	1.85
1/2"	3/4-16	AN924-8D	1.45	AN924-8	
3/4"	1-1/16-12	AN924-12D	3.00		

FITTINGS

AN929 - CAP

Flared tube fitting. Steel not available



TUBE O.D.	THREAD SIZE	ALUMINUM PART NO.	PRICE EA.
1/8"	5/16-24	AN929-2D	1.85
3/16"	3/8-24	AN929-3D	1.85
1/4"	7/16-20	AN929-4D	1.40
5/16"	1/2-20	AN929-5D	1.75
3/8"	9/16-18	AN929-6D	1.65
1/2"	3/4-16	AN929-8D	2.65
5/8"		AN929-10D	3.98

AN932 - PLUG

Internal wrenching hex aluminum plug.



PIPE SIZE	ALUMINUM PART NO.	PRICE EA.
1/16"	AN932-1D	2.52
1/8"	AN932-2D	1.70
1/4"	AN932-3D	3.17
3/8"	AN932-4D	4.00

37° FITTINGS & SEALS

FEMALE 37° SWIVEL

JIC swivel to male pipe adapter. Steel with zinc yellow dichromate finish.



TUBE O.D.	PIPE THREAD	PART NO.	PRICE EACH
1/4"	1/4"	9100x4x4	5.25
5/16"	1/4"	9100x5x4	5.99
3/8"	1/4"	9100x6x4	4.85
3/8"	3/8"	9100x6x6	5.89

SMALL HEX UNION STEEL 37°

TUBE O.D.	TUBE O.D.	PART NO.	PRICE EACH
5/16"	1/4"	C5305x5x4	5.25
3/8"	1/4"	C5305x6x4	2.99
1/2"	3/8"	C5305x8x6	3.35



MALE JIC

3/16 & 1/4 = 7/16 -20 thread
5/16 & 3/8 = 9/16-18 thread



HOSE I.D.	TUBE O.D.	PART NO.	PRICE EA.
3/16"	1/4"	3-4MJ	14.00
1/4"	1/4"	4-4MJ	3.01
5/16"	3/8"	5-6MJ	7.50
3/8"	3/8"	6-6MJ	5.99

REDUCER 37° STEEL

Use AN818 nut for attachment



TUBE REDUCTION	PART NO.	PRICE EACH
3/8 to 1/4	C5015x6x4	2.25
1/2 to 1/4	C5015x8x4	3.50
1/2 to 3/8	C5015x8x6	2.50

37° FLARED FITTING SEAL

A soft malleable crush washer designed for MS, AN, and JIC standard 37° flared fitting assemblies. The seals purpose is to provide a lower yield gasket material to the interface periphery at time of torque-up. Designed to take-up for the minute imperfections that will occur to the fitting and tubes mating surfaces during manufacture and installation process. Seal reduces stress in the individual parts of the flared fitting assembly and prevents dishing or crushing of the fitting. Also allows installer to reuse original equipment repeatedly reducing the cost of replacement parts. Aluminum seal used with aluminum tubing and fitting material assembly temperature ranges -420°F to +275°F and can seal helium, hydraulic oil & peroxide, hydrazine, liquid hydrogen & nitrogen, nitric acid, oxygen, pneumatics, water. Copper seal used with steel tubing and fitting material assembly temperature ranges -420° to +800°F and seals helium, hydraulic oil (non-sulfur base), hydrogen, nitrogen, oxygen and pneumatics.



TUBE O.D.	A O.D.	B I.D.	C INCHES	T THICKNESS	ALUMINUM PART NO.	PRICE EACH	COPPER PART NO.	PRICE EACH
3/16	.307-.312	.166-.181	.045-.060	.004-.006	AS4824-A-03	1.25	AS4824-C-03	1.25
1/4	.359-.364	.213-.228	.060-.075	.004-.006	AS4824-A-04	0.99	AS4824-C-04	0.90
5/16	.421-.428	.275-.280	.060-.075	.004-.006	AS4824-A-05	0.85	AS4824-C-05	0.99
3/8	.476-.481	.338-.353	.060-.075	.004-.006	AS4824-A-06	0.89	AS4824-C-06	1.05
7/16	.539-.544	.401-.416	.060-.075	.004-.006	AS4824-A-07	1.05	AS4824-C-07	0.85
1/2	.654-.659	.446-.461	.080-.095	.009-.011	AS4824-A-08	1.05	AS4824-C-08	0.99

FITTINGS

NYLON ELBOW

AIR applications tube to pipe

PIPE	BARB	PART NO.	PRICE
1/8	3/16	0711-150	0.58
1/8	1/4	0711-153	0.77
1/8	3/8	0711-158	0.59
1/4	1/4	0711-110	0.75
1/4	3/16	0711-160	0.59
1/4	3/8	0711-162	0.59

Tube to tube:

1/4	1/4	0711-015	0.72
3/8	3/8	0711-020	0.72

NYLON CONNECTOR

AIR applications tube to tube

BARB	BARB	PART NO.	PRICE
1/8	1/8	0706-005	0.47
1/4	1/4	0706-015	0.54
3/8	3/8	0706-020	0.49

NYLON REDUCING CONNECTOR

AIR application reducing connector

A BARB	B BARB	PART NO.	PRICE-EACH
3/16	1/4	0706-042	0.42
1/4	3/8	0706-045	0.39

NYLON ADAPTER

AIR application adapter tube to pipe

PIPE	BARB	PART NO.	PRICE
1/8	3/16	0701-150	0.42
1/8	1/4	0701-153	0.57
1/8	5/16	0701-156	0.34
1/8	3/8	0701-158	0.41
1/4	1/4	0701-110	0.50
1/4	3/16	0701-162	0.43

NYLON TEE

AIR application pipe to tube

PIPE	BARB	PART NO.	PRICE
1/8	3/16 x 3/16	0716-150	0.87
1/8	1/4 x 1/4	0716-153	0.71
1/4	1/4 x 1/4	0716-110	0.85
1/4	3/16 x 3/16	0716-160	0.59
1/4	3/8 x 3/8	0716-162	0.65

NYLON TEE






AIR application all tube equal ends

ALL BARB	PART NO.	PRICE
1/8 1/8 x 1/8	0716-005	0.75
3/16 3/16 x 3/16	0716-011	0.69
1/4 1/4 x 1/4	0716-015	0.85
3/8 3/8 x 3/8	0716-020	0.88

THREAD-BARB ADAPTERS

AIR & FUEL 176° maximum temp

HOSE I.D.	THREAD	PART NO.	PRICE EACH
1/4"	1/8"NPT	A2-4BN	0.65
3/8"	1/8"NPT	A2-6BN	0.65
1/4"	1/4"NPT	A4-4BN	0.53
3/8"	1/4"NPT	A4-6BN	0.48
1/8"	1/4"NPT	A4-8BN	0.59
3/8"	3/8"NPT	A6-6BN	0.65
1/2"	3/8"NPT	A6-8BN	0.82



REDUCTION COUPLERS

AIR & FUEL 176° maximum temp

HOSE TO HOSE	PART NO.	PRICE EA.
3/8" to 1/4"	C6-4BN	0.60
1/2" to 1/4"	C8-4BN	0.55
1/2" to 3/8"	C8-6BN	0.59
5/8" to 3/8"	C10-6BN	0.65
5/8" to 1/2"	C10-8BN	0.55
3/4" to 1/2"	C12-8BN	0.39

EQUAL LEG COUPLERS

AIR & FUEL 176° maximum temp

HOSE I.D.	PART NUMBER	PRICE EACH
1/4"	CO-4BN	0.41
3/8"	CO-6BN	0.30
1/2"	CO-8BN	0.30
5/8"	CO-10BN	0.33

THREAD-BARB ELBOWS

AIR & FUEL 176° maximum temp

HOSE I.D.	THREAD	PART NO.	PRICE EA.
1/4"	1/8"NPT	L2-4BN	0.75
3/8"	1/8"NPT	L2-6BN	0.53
1/4"	1/4"NPT	L4-4BN	0.62
3/8"	1/4"NPT	L4-6BN	0.62
1/2"	1/4"NPT	L4-8BN	0.51
3/8"	3/8"NPT	L6-6BN	0.52
1/2"	3/8"NPT	L6-8BN	0.69

EQUAL LEG ELBOWS

AIR & FUEL 176° maximum temp

HOSE I.D.	PART NUMBER	PRICE EACH
1/4"	LO-4BN	0.65
3/8"	LO-6BN	0.42
1/2"	LO-8BN	0.35
5/8"	LO-10BN	0.90

THREAD-BARB TEES



AIR & FUEL 176° maximum temp

HOSE I.D.	THREAD	PART NO.	PRICE EACH
1/4"	1/8"NPT	T2-4BN	0.65
3/8"	1/8"NPT	T2-6BN	0.65
1/4"	1/4"NPT	T4-4BN	0.75
3/8"	1/4"NPT	T4-6BN	0.75
1/2"	1/4"NPT	T4-8BN	0.49
3/8"	3/8"NPT	T6-6BN	0.49
1/2"	3/8"NPT	T6-8BN	0.49

EQUAL LEG TEES

AIR & FUEL 176° maximum temp

HOSE I.D.	PART NUMBER	PRICE EACH
1/4"	TO-4BN	0.70
3/8"	TO-6BN	0.47
1/2"	TO-8BN	0.70
5/8"	TO-10BN	0.44



FITTINGS

Maximum operating temperature 180° - use with poly-flo, nylo seal type hoses for low pressure fuel and air applications

259 - NYLON INSERT

Use with nylon fittings, polyflow tubing.


TUBE O.D.	PART NUMBER	PRICE EACH
1/4	259N-04	0.85
3/8	259N-06	0.99



261N - NYLON NUT

Use with nylo-seal and poly-flo.


TUBE O.D.	PART NUMBER	PRICE EACH
1/4	261N-04	0.90
3/8	261N-06	1.20



269N - NYLON MALE ELBOW

Use with nylo-seal and poly-flo.

TUBE O.D.	PIPE THREAD	PART NUMBER	PRICE EACH
1/4	1/8	269N-04x02	2.50
1/4	1/4	269N-04x04	2.20
3/8	1/4	269N-06x04	2.75



270N NYLON FEMALE ELBOW

Use with nylo-seal and poly-flo.

TUBE O.D.	PIPE THREAD	PART NUMBER	PRICE EACH
1/4	1/8	270N-04x02	4.09
1/4	1/4	270N-04x04	4.10
3/8	1/4	270N-06x04	3.50



262N - NYLON UNION

TUBE O.D.	PART NUMBER	PRICE EACH
1/4	262N-04	2.50
3/8	262N-06	2.95



271N - MALE RUN TEE

Use with nylo-seal and poly-flo.


TUBE O.D.	PIPE THREAD	PART NUMBER	PRICE EACH
1/4	1/8	271N-04x02	2.75
1/4	1/4	271N-04x04	3.12
3/8	1/4	271N-06x04	4.20



264N - NYLON UNION TEE

Use with nylo-seal and poly-flo.


TUBE O.D.	PART NUMBER	PRICE EACH
1/4	264N-04	3.75
3/8	264N-06	5.50



272N - MALE BRANCH TEE

Use with nylo-seal & poly-flo.

TUBE O.D.	PIPE THREAD	PART NUMBER	PRICE EACH
1/4	1/8	272N-04x02	4.50
1/4	1/4	272N-04x04	3.89
3/8	1/4	272N-06x04	4.57



265N - NYLOW ELBOW

Use with nylo-seal and poly-flo.

TUBE O.D.	PART NUMBER	PRICE EACH
1/4	265N-04	2.65
3/8	265N-06	4.35



282N - BULKHEAD UNION

Use with nylo-seal and poly-flo.

TUBE O.D.	PART NUMBER	PRICE EACH
1/4	282N-04	7.00
3/8	282N-06	6.00



266N - FEMALE CONNECTOR

Use with nylo-seal and poly-flo

TUBE O.D.	PIPE THREAD	PART NUMBER	PRICE EACH
1/4	1/8	266N-04x02	5.75
1/4	1/4	266N-04x04	4.85
3/8	1/4	266N-06x04	5.95



NYLON NUT CAP

End cap for use with 1/4" male NPT threaded nylon pipe-to-tube adapters.



268N - MALE CONNECTOR

Use with nylo-seal and poly-flo

TUBE O.D.	PIPE THREAD	PART NUMBER	PRICE EACH
1/4	1/8	268N-04x02	2.35
1/4	1/4	268N-04x04	2.40
3/8	1/4	268N-06x04	2.75



THREAD	PART NUMBER	PRICE
1/4" NPT	HC-4	0.25

FITTINGS

POLYETHYLENE ADAPTER

Tube to pipe, best for fuel.

PIPE BARB	PART NO.	PRICE
1/8 3/16	0700-150	0.25
1/8 1/4	0700-153	0.22
1/8 3/8	0700-158	0.42
1/4 1/4	0700-110	0.45
1/4 3/8	0700-162	0.35



POLYETHYLENE ELBOW

Best for fuel, tube to pipe.


PIPE BARB	PART NO.	PRICE
1/8 1/4	0710-153	0.59
1/8 3/8	0710-158	0.49
1/4 1/4	0710-110	0.69
1/4 3/8	0710-162	0.49
3/8 3/8	0710-115	0.54



POLYETHYLENE TEE

Best for fuel, tube to pipe.

PIPETEE x TEE	PART NO.	PRICE
1/8 1/4 x 1/4	0715-153	0.63
1/4 1/4 x 1/4	0715-110	0.68
1/4 3/8 x 3/8	0715-162	0.56



POLYETHYLENE TEE

All tube - best for fuel.

TEETEE x TEE	PART NO.	PRICE
1/4 1/4 x 1/4	0715-015	0.65
3/8 3/8 x 3/8	0715-020	0.76



ADAPTER

Weatherhead brass pipe elbow

PIPE THREAD M	F	PART PRICE NUMBER	PRICE EACH
1/8"	1/8"	3200x2	0.89
1/4"	1/4"	3200x4	1.40
1/8"	1/4"	3200x4x2	1.75
3/8"	3/8"	3200x6	2.08
1/4"	3/8"	3200x6x4	2.99
3/8"	1/2"	3200x8x6	4.50



45° STREET ELBOW

Weatherhead brass pipe elbow

PIPE THREAD M	F	PART PRICE NUMBER	PRICE EACH
1/8	1/8	3350x2	1.55
1/4	1/4	3350x4	2.55
3/8	3/8	3350x6	2.75



90° STREET ELBOW

Weatherhead brass pipe elbow

PIPE THREAD M	F	PART PRICE NUMBER	PRICE EACH
1/8	1/8	3400x2	1.38
1/4	1/4	3400x4	1.78
3/8	3/8	3400x6	2.99



MALE BRANCH TEE

Weatherhead brass pipe male branch tee

PIPE THREAD M	F	PART PRICE NUMBER	PRICE EACH
1/8	1/8	3600x2	1.65
1/4	1/4	3600x4	3.75
3/8	3/8	3600x6	3.92



STREET TEE 90°

Weatherhead brass pipe tee.

PIPE THREAD M	F	PART PRICE NUMBER	PRICE EACH
1/8	1/8	3750x2	1.99
1/4	1/4	3750x4	5.85
3/8	3/8	3750x6	6.80



ELBOW

Weatherhead brass pipe elbow

PIPE THREAD FEMALE	PART PRICE NUMBER	PRICE EACH
1/8	3500x2	2.25
1/4	3500x4	2.25
3/8	3500x6	3.25



TEE

Weatherhead brass pipe tee

PIPE THREAD FEMALE	PART PRICE NUMBER	PRICE EACH
1/8	3700x2	2.35
1/4	3700x4	2.45
3/8	3700x6	4.46



CROSS

Weatherhead brass pipe cross

PIPE THREAD FEMALE	PART PRICE NUMBER	PRICE EACH
1/8	3950x2	3.29
1/4	3950x4	4.29
3/8	3950x6	7.69



261UB - NUT WITH SLEEVE

For nylon & polyethylene tubing. Brass

TUBETHREAD O.D.	SIZE	PART PRICE NUMBER	PRICE EACH
1/8	5/16-24	261UB-02	0.78
3/16	3/8-24	261UB-03	0.88
1/4	3/8-24	261UB-04	0.99



262P - UNION

For nylon & polyethylene tubing. Brass

TUBE O.D.	PART NUMBER	PRICE EACH
1/8	262P-02	3.99
3/16	262P-03	4.50
1/4	262P-04	2.99



FITTINGS

264P - UNION TEE

For nylon & polyethylene tubing.
Brass


TUBE O.D.	PART NUMBER	PRICE EACH
3/16	264P-03	9.25
1/4	264P-04	4.70



266P - FEMALE CONNECTOR

For nylon & polyethylene tubing. 1/8" pipe thread. Brass

TUBE O.D.	PART NUMBER	PRICE EACH
1/8	266P-02X02	2.72
3/16	266P-03X02	2.99
1/4"	266P-04X02	2.99



268P - MALE CONNECTOR

For nylon & polyethylene tubing.
1/8" pipe thread. Brass

TUBE O.D.	PART NUMBER	PRICE EACH
1/8	268P-02x02	1.90
3/16	268P-03x02	2.99
1/4	268P-04x02	1.89



269P - MALE ELBOW

For nylon & polyethylene tubing.
1/8" pipe thread. - Brass

TUBE O.D.	PART NUMBER	PRICE EACH
1/8	269P-02x02	2.21
3/16	269P-03x02	2.78
1/4	269P-04x02	2.09
3/8	269P-06x04	2.11



270P - FEMALE ELBOW

For nylon & polyethylene tubing. 1/8" pipe thread.

TUBE O.D.	PART NUMBER	PRICE EACH
3/16"	270P-03x02	3.62
1/4"	270P-04X02	2.63



271P - MALE RUN TEE

For nylon & polyethylene tubing.
1/8" pipe thread.

TUBE O.D.	PART NUMBER	PRICE EACH
3/16	271P-03x02	6.60
1/4	271P-04x02	4.01



272P - MALE BRANCH TEE

For nylon & polyethylene tubing.
1/8" pipe thread.


TUBE O.D.	PART NUMBER	PRICE EACH
3/16	272P-03x02	6.37
1/4"	272P-04X02	5.25



AN4022 & AN4023 PRIMER FITTING

Has internal orifice, 1/8-27 NPT, 5/16-32 thread size. Straight or elbow with 1/8 tube size. Brass

TUBE SIZE	PART NUMBER	PRICE EACH
Straight	AN4022-1	11.13
Elbow	AN4023-1	20.62



BRASS INSERT

Use with SK8201 tubing.

TUBE O.D.	PART NUMBER	PRICE EACH
3/16	2030x4	0.65
1/4	2030x5	0.70



AN800- CODE UNION

Brass - solder onto copper primer line.

TUBE O.D.	PART NUMBER	PRICE EACH
1/8	AN800-2	1.82



AN805 - NUT

Used with AN800 code union has 5/16-32 thread. Brass

TUBE SIZE	PART NUMBER	PRICE EACH
1/8	AN805-2	1.70



HOSE END ADAPTER - ELBOW

BRASS

Use for low pressure air, fuel, and oil applications.



PIPE THREAD	HOSE I.D.	PART NUMBER	PRICE EACH
1/8"	1/4"	1582	2.57
1/8"	5/16"	1556	1.79
1/8"	3/8"	1572	2.75
1/4"	5/16"	1557	2.50
1/4"	3/8"	1571	2.08
1/4"	3/8"	1574	2.45
3/8"	3/8"	1576	5.14

Brass fittings have nominal pressure 125 psi, maximum pressure 500 psi.

FITTINGS

STRAIGHT HOSE ADAPTER

BRASS

hose adapter for low pressure air, fuel and oil applications.



HOSE I.D.	PIPE THREAD	PART NUMBER	PRICE EACH
3/16"	1/8"	1541	0.99
1/4"	1/8"	1537	1.35
1/4"	1/4"	1581	1.85
5/16"	1/8"	1551	0.99
5/16"	1/4"	1555	1.45
3/8"	1/4"	1564	2.45
3/8"	3/8"	1566	2.60

UNION TEE - BRASS COMPRESSION

For use with copper or aluminum tubing in applications under 400 psi. Compression sleeves included.



TUBE O.D.	PART NUMBER	PRICE EACH
1/8"	64F02	7.20
1/4"	64F04	2.99

UNION ELBOW BRASS COMPRESSION

For use with copper or aluminum tubing with applications under 400 psi. Compression sleeve included



TUBE O.D.	PART NUMBER	PRICE EACH
1/8"	65F02	3.42

MALE CONNECTOR BRASS COMPRESSION

For use with copper or aluminum tubing with applications under 400 psi. Compression sleeve included.



TUBE O.D.	PIPE THREAD	PART NUMBER	PRICE EACH
1/8"	1/8NPT	68F02x02	2.25
1/4"	1/8NPT	68F04x02	2.30
1/4"	1/4NPT	68F04x04	2.10

ELBOW CONNECTOR BRASS COMPRESSION

For use with copper or aluminum tubing with applications under 400 psi. Compression sleeve included



TUBE O.D.	PIPE THREAD	PART NUMBER	PRICE EACH
1/8"	1/8NPT	69F02x02	2.50
1/8"	1/4NPT	69F02x04	2.40
1/4"	1/8NPT	69F04x02	2.10
1/4"	1/4NPT	69F04x04	2.50

NUTS BRASS COMPRESSION

For use with compression sleeves. 1/4" and 3/8" sizes available in regular or long version. Long version used when greater vibration resistance is needed. Brass with straight threads.



TUBE O.D.	THREAD SIZE	PART NUMBER	PRICE EACH
1/8"	5/16-24	61x2	0.39
1/4"	7/16-24	61x4	0.45
5/16"	1/2-24	61x5	0.43
3/8"	9/16-24	61x6	0.55
1/4" Long	7/16-24	1611x4	1.10
3/8" Long	9/16-24	1611x6	1.10

SLEEVES BRASS COMPRESSION

For use in instrumentation, hydraulic and pneumatic systems with working pressures under 2000 psi. Can be used with aluminum or copper tubing when flaring is not required. Use with corresponding compression nut. Brass.



TUBE O.D.	PART NUMBER	PRICE EACH
1/8"	60x2	0.35
1/4"	60x4	0.35
5/16"	60x5	0.22
3/8"	60x6	0.26

PIPE TO FLARE BULKHEAD

Male pipe thread to 37° flare bulkhead straight.



MALE PIPE THREAD	TUBE O.D.	PART NUMBER	PRICE EACH
1/8 NPT-male	1/4" flare	2706LN-2-4	6.66
1/4 NPT-male	3/8" flare	2706LN-4-6	4.75

FITTINGS

PIPE TO TUBE ADAPTER STEEL

STEEL

Female pipe to male 37° flare tube adapter



FEMALE PIPE THREAD	TUBE O.D.	PART NUMBER	PRICE EACH
1/8 NPT-female	1/4" flare	2405-4-2	0.99
1/8 NPT-female	5/16" flare	2405-5-2	1.75
1/4 NPT-female	3/8" flare	2405-6-4	1.68

PIPE TO FLARE BULKHEAD-STRAIGHT

STEEL

Female pipe thread to 37° flare steel bulkhead fittings.



FEMALE PIPE THREAD	TUBE O.D.	PART NUMBER	PRICE EACH
1/8 NPT-female	1/4" flare	2705LN-2-4	3.99
1/4 NPT-female	3/8" flare	2705LN-4-6	4.70

QUICK DISCONNECT

These quick disconnect couplings with barbed ends are ideal for use with 1/4" or 3/8" id flexible tubing. Acetal construction with viton o-rings offer good fuel resistance. Coupling bodies are available in panel mount or in-line styles, with or without an internal shut-off. Working pressure: 120 psi, operating temperature -40°F to 180° F.



FOR EACH COUPLING BODY ORDERED, YOU MUST ORDER AN APPROPRIATE COUPLING INSERT BELOW.

DESCRIPTION	SIZE	PART NUMBER	PRICE EACH
Panel mount body	1/4"	160-04	10.84
Panel mount body with shut off	1/4"	160-04WS	12.69
Panel mount body	3/8"	160-06	10.68
In-line body	1/4"	170-04	5.50
In-line body with shut off	1/4"	170-04WS	7.75
In-line body	3/8"	170-06	6.25

INSERT

MUST BE ORDERED WITH APPROPRIATE QUICK DISCONNECT

Available with or without internal shut-off. For use with quick disconnect coupling bodies.



DESCRIPTION	PART NUMBER	PRICE EACH
1/4" insert	220-04	2.25
1/4" insert with shut-off	220-04WS	8.50
3/8" insert	220-06	2.25

PANEL MOUNT BARBED UNIONS

Made of fuel resistant acetal, with nickel-plated brass nuts. For panels/bulkheads .040" to .250".



TUBING ID	PART NUMBER	PRICE EACH
1/8" x 1/8"	PMU-02	2.65
1/4" x 1/4"	PMU-04	2.99
3/8" x 3/8"	PMU-06	2.65

122 SEAMLESS COPPER TUBING

Seamless copper tubing for primer, fuel and oil pressure lines. Comes in 50 ft. rolls. Alloy 122, DHP



O.D. IN.	WALL THICKNESS	I.D. IN.	WEIGHT P/FT.	PART NUMBER	PRICE P/FOOT
1/8"	.030	.065	.0347	R1/8x030-122	1.40
1/4"	.030	.190	.0804	R1/4x030-122	0.74
5/16"	.032	.248	.109	R5/16x032-122	0.85
3/8"	.032	.311	.134	R3/8x032-122	1.00

NUT & PLASTIC SLEEVE 1/4" OD

Compression nut with plastic sleeve.



TUBE SIZE	PART NUMBER	PRICE
1/4"	261P-04	0.75

SWIVEL COUPLING FEMALE FLARED

37° female flared aluminum swivel coupling for connecting 2 male flared fittings. Blue anodized.



TUBING OD	PART NUMBER	PRICE
3/16"	SC303	7.50
1/4"	SC404	7.50
3/8"	SC606	7.99
1/2"	SC808	8.99