

PLACARDS

INTERIOR PLACARDS

AIRCRAFT PLACARDS

Peel off vinyl, easy to install placards are printed in high contrast on pressure sensitive labels. Cut out and press into place for that "factory fresh" cockpit look. Covers all aircraft systems with most often used (on-off-open-closed) repeated several times, with amperage, voltage values, arrows, blanks, and numbers to make up specific limits. Covers both single and multi-engine systems, seaplanes and gliders.



| DESCRIPTION | PART NUMBER | PRICE |
|----------------|-------------|-------|
| BLACK ON CLEAR | AP-1BC | 9.95 |
| WHITE ON BLACK | AP-1WB | 9.95 |
| WHITE ON CLEAR | AP-1WC | 9.95 |

AIRSPEED

Black on white vinyl. May be written on with a fine point indelible marker. Provides space for all your most important airspeeds.



| DESCRIPTION | PART NUMBER | PRICE |
|--------------------|-------------|-------|
| VINYL 3-1/2X4-1/2" | RASVD | 3.25 |

ALPHABET PLACARD

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|------------------|-------------|-------|
| ALUMINUM 2" X 2" | 14-1 | 5.50 |

AMATEUR-BUILT AIRCRAFT


All amateur-built aircraft must have a nameplate. Size: 3" x 4-1/4". (Requires data to be etched or stamped.)



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| STAINLESS NAMEPLATE | PC100-005 | 4.15 |

ARROW

Custom computer cut decals to indicate operation of door handles in clockwise or counterclock positions. Arrow and "open" can be separated for individual placement. Color - red. Size: 2"x 3-1/2"



| DESCRIPTION | PART NUMBER | PRICE |
|-------------------|-------------|-------|
| COUNTER-CLOCKWISE | OACCW | 3.99 |
| CLOCKWISE ARROW | OACW | 3.99 |

BEST AIRSPEED

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|----------------------|-------------|-------|
| ALUMINUM 4.2 X 1.25" | 12-1 | 7.50 |

CANOPY

Black on white vinyl. Marks location of emergency release mechanisms for Canopy. CANOPY RELEASE DO NOT OPEN IN FLIGHT UNLESS YOU ARE LEAVING!



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| VINYL 7/8" X 3-1/8" | CARVD | 3.75 |

CARB

Do not fly when conditions are conducive to carburetor icing.



| DESCRIPTION | PART NUMBER | PRICE |
|-----------------|-------------|-------|
| VINYL 7/8" X 2" | NCHVD | 2.25 |

CAUTION STATIC AIR


Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|--------------------|-------------|-------|
| ALUMINUM 1.5" X 1" | 27-1 | 5.50 |

CERTIFICATE HOLDER

A sturdy 5" x 7" plastic window with bound edges for displaying aircraft certificate. Includes mounting screws.



| DESCRIPTION | PART NUMBER | PRICE |
|--------------------|-------------|-------|
| CERTIFICATE HOLDER | CRTHOLDER | 4.75 |

PLACARDS

CHUTE

Black and red on white vinyl. Used to locate ballistic chute handle in emergency. Remove locking pin before flight pull handle down.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------------|-------------|-------|
| VINYL 2" X 3-1/2" | EBCVD | 3.50 |

EMERGENCY EXIT


Emergency exit placard - aluminum.



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| ALUMINUM 3.25" X 1" | 47-1 | 5.75 |

COMPASS DEVIATION PLACARD

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 2" X 2" | 11-1 | 5.85 |

FASTEN SEAT BELTS

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| ALUMINUM 3.25" X 1" | 247-1 | 5.00 |

COOLANT PLACARD

Rotax engine specifications. Red letters on white decal. COOLANT 60/40 SILICATE/PHOSPHATE FREE



| DESCRIPTION | PART NUMBER | PRICE |
|---------------|-------------|-------|
| 1/2" X 3-1/2" | CPPVD | 2.25 |

FIRE EXTINGUISHER


Black and red on white vinyl. Used to locate extinguisher in emergency. EMERGENCY FIRE EXTINGUISHER Remove locking pin squeeze handle to discharge.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------------|-------------|-------|
| VINYL 2" X 3-1/2" | EFEVD | 3.50 |

CROSS WIND COMPONENT


Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| ALUMINUM 3.15"X1.9" | 257-1 | 5.89 |

FLAG

Flags are screen printed on white vinyl. Standard flat or waving flag. Waving flag is die-cut around the shape of the flag.



| DESCRIPTION | PART NUMBER | PRICE |
|----------------------|-------------|-------|
| 1-3/4"X 2-3/4" FLAT | AFSTD | 3.75 |
| 2-9/16"X 3-3/4" WAVE | AFWVG | 3.75 |

DOOR

Black on white vinyl. Marks location of emergency release mechanisms for Door. DOOR RELEASE DO NOT OPEN IN FLIGHT UNLESS YOU ARE LEAVING!



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| VINYL 7/8" X 3-1/8" | DORVD | 3.75 |

FUEL PLACARDS

Custom made: special capacity, octane, left-right fuel, specify labelling requirements. Available: black on white or black on clear.



| DESCRIPTION | PART NUMBER | PRICE |
|----------------|-------------|-------|
| BLACK ON CLEAR | FP-BC | 1.50 |
| BLACK ON WHITE | FP-BW | 1.50 |

PLACARDS

GROUND HERE EXIT

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3.25" X 1" | 74-1 | 5.50 |

HORIZONTAL & VERTICAL INSTRUCTION USE


INSTRUCTIONAL USE ONLY-Computer cut black vinyl lettering designed to fit on down or trike tubes for ultralights. Choice of horizontal or vertical. Size: 1"X 12"



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| HORIZONTAL | IUOVLH | 3.99 |
| VERTICAL | IUOVLV | 3.99 |

INTENTIONAL SPINS PROHIBITED

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3.25" X 1" | 103-1 | 6.25 |

LIFT HERE


Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3.25" X 1" | 23-1 | 5.65 |

MODEL & SERIAL NUMBER

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3.25" X 1" | 250-1 | 5.50 |

NO SMOKING ALUMINUM

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3.25" X 1" | 41-1 | 5.65 |

NO SMOKING VINYL

Vinyl decal white lettering on red background. Designed for panel mounting in tandem seat aircraft



| DESCRIPTION | PART NUMBER | PRICE |
|---------------|-------------|-------|
| 5/8" X 3-1/4" | NSDSM | 1.99 |

PASSENGER WARNING

This placard must be displayed in the cockpit of all amateur-built aircraft. Black on silver. Size: 1-1/4" x 3-3/4". STAINLESS STEEL



| DESCRIPTION | PART NUMBER | PRICE |
|-------------------|-------------|-------|
| PASSENGER WARNING | PC100-015S | 2.59 |

PASSENGER WARNING ELSA

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. 3-7/8" X 1-1/2". Passenger Warning, This Aircraft is and Experimental Light-Sport Aircraft and does not comply with the Federal Safety Regulations for Standard Aircraft.



| DESCRIPTION | PART NUMBER | PRICE |
|-----------------|-------------|-------|
| 3-7/8" X 1-1/2" | PC100-040 | 3.21 |

PASSENGER WARNING SLSA

White Lettering on Red Vinyl. 3-7/8" x 1-1/4". Passenger Warning. This Aircraft Is A Special Light-Sport Aircraft And Does Not Comply With The Federal Regulations For Standard Aircraft.



| DESCRIPTION | PART NUMBER | PRICE |
|-----------------|-------------|-------|
| 3-7/8" X 1-1/4" | PC100-045 | 2.29 |

PLACARDS

SOLO

SOLO FROM FRONT OR REAR SEAT ONLY. Silkscreened in red ink on white all weather vinyl. Size: 1"x 3"



| DESCRIPTION | PART NUMBER | PRICE |
|-----------------|-------------|-------|
| FRONT SEAT ONLY | SFSVD | 2.75 |
| REAR SEAT ONLY | SRSVD | 3.00 |

STROBE DECAL

Strobe Warning - Vinyl. Size: 1"x 2-1/4"



| DESCRIPTION | PART NUMBER | PRICE |
|----------------------|-------------|-------|
| STROBE WARNING-VINYL | SPVDL | 3.50 |

STROBE PHOTO ALUMINUM

1" x 2-1/4" .014" photo aluminum, adhesive back. WARNING Turn off strobe lights when taxiing in vicinity of other aircraft, or during flight through clouds or fog.



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| STROBE WARNING-ALUM | SPPAL | 6.50 |

STROBE PLASTIC ENGRAVED

1" x 2-1/4" plastic engraved decal, adhesive back. WARNING Turn off strobe lights when taxiing in vicinity of other aircraft, or during flight through clouds or fog.



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| STROBE WARN-PLASTIC | SPPPL | 6.00 |

TRANSMIT-VHF-RECEIVE

This placard is great for using in the cockpit. It lists Transmit, VHF, and Receive information. Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion.



| DESCRIPTION | PART NUMBER | PRICE |
|----------------------|-------------|-------|
| TRANSMIT/VHF/RECEIVE | 252-1 | 5.50 |

VFR ALTITUDE

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 2" X 2" | 9-1 | 5.50 |

VFR TRANSPONDER CODE

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 2" X 2" | 52-1 | 5.00 |

WARNING PILOT OPEN/CLOSE

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3.25" X 1" | 249-1 | 5.50 |

FLY PLAQUES

Attractive black plastic non glare plaque. Adheres to most clean dry surfaces. Small Size 4.5" X 1.5", Large Size 9" X 3".



| DESCRIPTION | PART NUMBER | PRICE |
|------------------|-------------|-------|
| FLY PLAQUE SMALL | 239-S | 7.50 |
| FLY PLAQUE LARGE | 239-L | 7.50 |

PLACARDS

SHADOW AIRCRAFT

These shadow aircraft are made from an attractive black plastic with a non glare finish. They come with a pressure sensitive adhesive and can be adhered to most clean dry surfaces. The small shadow aircraft fit within a rectangle approximately 5.0" X 3.5". The large shadow aircraft fit within a rectangle approximately 11" X 6". Either size can be placed on walls of den rooms, hangars, tool boxes, and many other locations of choice.



| DESCRIPTION | SIZE | PART NUMBER | PRICE |
|------------------------|---------|-------------|-------|
| SIDE-BY-SIDE HOMEBUILT | 3.5"X5" | 231-1S | 4.50 |
| SIDE-BY-SIDE HOMEBUILT | 6"X11" | 231-1L | 7.50 |
| RV SIDE BY SIDE | 3.5"X5" | 231-2S | 4.50 |
| RV SIDE BY SIDE | 6"X11" | 231-2L | 7.50 |
| RV TANDEM | 3.5"X5" | 231-3S | 4.50 |
| RV TANDEM | 6"X11" | 231-3L | 7.50 |
| RV-A TANDEM | 3.5"X5" | 231-4S | 4.50 |
| RV-A TANDEM | 6"X11" | 231-4L | 7.50 |
| BY PLAIN | 3.5"X5" | 231-5S | 4.50 |
| BY PLAIN | 6"X11" | 231-5L | 7.50 |
| CESSNA | 3.5"X5" | 231-6S | 4.50 |
| CESSNA | 6"X11" | 231-6L | 7.50 |
| PIPER | 3.5"X5" | 231-7S | 4.50 |
| PIPER | 6"X11" | 231-7L | 7.50 |
| BEECHCRAFT | 3.5"X5" | 231-8S | 4.50 |
| BEECHCRAFT | 6"X11" | 231-8L | 7.50 |
| SMALL CORPORATE JET | 3.5"X5" | 231-9S | 4.50 |
| SMALL CORPORATE JET | 6"X11" | 231-9L | 7.50 |
| LARGE CORPORATE JET | 3.5"X5" | 231-10S | 4.50 |
| LARGE CORPORATE JET | 6"X11" | 231-10L | 7.50 |
| TRANSPORT TYPE | 3.5"X5" | 231-11S | 4.50 |
| TRANSPORT TYPE | 6"X11" | 231-11L | 7.50 |
| FIGHTER JET | 3.5"X5" | 231-12S | 4.50 |
| FIGHTER JET | 6"X11" | 231-12L | 7.50 |

EXTERIOR PLACARDS

CAUTION USE 100/130

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| ALUMINUM 3.25" X 1" | 101-1 | 5.75 |

FUEL - AUTO FUEL

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| ALUMINUM 3.25" X 1" | 248-1 | 4.50 |

COOLANT

Rotax engine specifications. White lettering on red background. COOLANT 60/40 SILICATE/PHOSPHATE FREE



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| VINYL 1/2" X 3-1/2" | CPRVD | 2.25 |

DANGER PROP

For use on many ultralights and rotocraft. Warns bystanders of propeller or rotor proximity. Bi-directional arrows, trim off proper arrow head for your application. Black lettering on bright yellow. Vinyl overlaminated for long life. Two decals per package.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------------|-------------|-------|
| VINYL 1-1/2" X 4" | PWDVD | 3.25 |

EXPERIMENTAL DECAL

New style single-piece decal with adhesive back. No need to line up 12 individual letters. One-step operation. Just remove the protective backing and apply to any clean surface. 2" black letters on clear Mylar base. Decal size: 2-1/2" x 15".



| DESCRIPTION | PART NUMBER | PRICE |
|--------------------|-------------|-------|
| EXPERIMENTAL DECAL | PC100-020 | 1.95 |

CHUTE


DANGER BALLISTIC CHUTE. Choice of rectangular (1-1/4"x 4") or triangular (5-1/8" sides). Black and red on white vinyl. Used to warn EMS and maintenance personnel of potential danger.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| RECTANGULAR | BRSW2VD | 3.99 |
| TRIANGULAR | BRSWVD | 5.75 |

FUEL - FUEL DRAIN

Black on white vinyl. Used to locate fuel drain petcocks on aircraft. U-V and fuel resistant.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 1/2" X 2" | FDLVD | 2.50 |

WEIGHT

Black on white vinyl. May be written on with a fine point indelible marker. Provides space for empty and gross weights. AIRCRAFT EMPTY WEIGHT MAX. GROSS WEIGHT



| DESCRIPTION | PART NUMBER | PRICE |
|-----------------------|-------------|-------|
| VINYL 1-1/2" X 3-1/4" | AWPVD | 3.50 |

PLACARDS

OCTANE BLUE, RED OR GREEN

Gasoline and acid resistant fuel placards help reduce the possibility of being misfueled. Large (6" diameter) and easy to read. With punch out centers for special uses.



| DESCRIPTION | OCTANE | PART NUMBER | PRICE |
|-------------|-------------------|-------------|-------|
| BLUE | LOW LEAD 100 | FC-100B | 5.75 |
| GREEN | 100 | FC-100G | 5.75 |
| RED | 80 | FC-80R | 5.75 |
| RED | 92 UNLED AUTO GAS | FP-025 | 5.75 |

CAUTION 100/130 OCTANE

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| ALUMINUM 3.25" X 1" | 35-1 | 5.75 |

FUEL DRAIN ALUMINUM

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| ALUMINUM 3.25" X 1" | 29-1 | 5.50 |

FUEL - OIL MIX


Black on white vinyl. Used on aircraft and ultralights with two-stroke engines. FUEL MUST BE MIXED WITH 2 CYCLE OIL



| DESCRIPTION | PART NUMBER | PRICE |
|---------------|-------------|-------|
| 3/4" X 1-1/2" | FOMVD | 2.50 |

IDENTIFICATION PLATE ALL CATEGORIES


Externally mounted aircraft identification placard as required per FAR Part 45.13 For all categories & types including Standard, Utility, Normal, Experimental, and the new Light Sport Aircraft category. 2"x 3" x .012 stainless plate easily conforms to any mounting surface. With 2 side mounting holes.



| DESCRIPTION | PART NUMBER | PRICE |
|--------------------|-------------|-------|
| ID PLATE STAINLESS | PC100-030 | 3.62 |

IDENTIFICATION PLATE


Made of aluminum foil with a pressure sensitive backing which adheres to most any surface that is clean and dry. The facing is made with a special anodize process which will resist sun fade-out and surface abrasion. Meets new FAA regulation requiring an identification plate to be placed on the exterior of the fuselage and military specifications. Customer engraves necessary information.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| ID PLATE | PC184-1 | 3.20 |

JACK POINT

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3.25" X 1" | 30-1 | 5.75 |

LABELS


Specially designed label sheet for homebuilt aircraft. Easy to read placards and labels for marking controls, switches, circuit breakers etc. Black on heavy duty white vinyl. Resists scratching, fading and peeling. Just trim out, peel and stick. Makes your panel look like a factory job.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| VINYL | PLSVD | 5.95 |

LEVEL POINT

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3.25" X 1" | 54-1 | 5.00 |

LIGHT SPORT AIRCRAFT DECAL

Meets the requirements of FAR Part 45.23 (b) for a placard to be mounted near the cockpit entrance of a Light-Sport category aircraft. Black on clear vinyl lettering.



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| PLACARD LIGHT SPORT | PC100-035 | 2.75 |

PLACARDS

N LETTER APPLICATOR

For squeegeeing film to substrates or premask tape to film. Recommended for applications to FRP or other textured substrates



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| APPLICATOR | PA-1 | 1.25 |

N LETTERS - VINYL

Easy to install vinyl lettering is state of the art in the sign graphics industry. Computer generated, precision cut letters come with easy instructions. Letters can be ordered straight, forward slant, or back slant. Specify letter height and total length desired. Any color available. Spray mask removable stencils are also available. Please inquire for prices on other sizes. Spray mask can be used only once.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 2" | LTR-2 | 1.60 |
| 3 INCH | LTR-3 | 1.99 |
| 12 INCH | LTR-12 | 6.55 |

N LETTERS SPRAY MASK

Easy to install vinyl lettering is state of the art in the sign graphics industry. Computer generated, precision cut letters come with easy instructions. Letters can be ordered straight, forward slant, or back slant. Specify letter height and total length desired. Any color available. Spray mask removable stencils are also available. Please inquire for prices on other sizes. Spray mask can be used only once.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 12 INCH | LTR-SM12 | 6.25 |
| 3 INCH | LTR-SM3 | 1.50 |

NO HOLD


Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3.25" X 1" | 243-1 | 5.50 |

OIL

Black on white vinyl. Used in oil injected two-stroke engines. U-V and fuel resistant. OIL INJECTION CHECK OIL RES. BEFORE FLIGHT. 2-cycle oil ONLY



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 1" X 2-1/8" | OIPVD | 2.25 |

NO LIFT; PUSH; STEP ALUMINUM PEEL OFF

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A. Size: 1"x 3.25"



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| NO STEP | 24-1 | 5.50 |
| NO PUSH | 25-1 | 5.50 |
| NO LIFT | 26-1 | 5.50 |

PROP

Black lettering on yellow vinyl. Designed for powered parachute prop cages, can be used on many other applications as well.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------------|-------------|-------|
| VINYL 1-5/8" X 6" | DPVDL | 3.75 |

STATIC

Black on white vinyl. U-V coated, fuel resistant. Used to mark location of static air vents. STATIC AIR VENT KEEP CLEAN



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3/4" X 1" | SAVVD | 2.75 |

STEP HERE

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3.25" X 1" | 44-1 | 5.75 |

TIE DOWN

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|-------------|-------------|-------|
| 3.25" X 1" | 31-1 | 5.50 |

PLACARDS

TIRE PRESSURE PLACARD

Made of high quality aluminum placard with a pressure sensitive backing will adhere to most any surface that is clean and dry. Facing is made with special anodize process which will resist sun fade-out and surface abrasion. Meets Federal Specs GG-455B and MIL-P-15024-B. Adhesive meets MIL-P-6906-A.



| DESCRIPTION | PART NUMBER | PRICE |
|---------------------|-------------|-------|
| ALUMINUM 3.25" X 1" | 251-1 | 5.50 |